



2025 AUTOMOTIVE CATALOG

TECHNICIAN FRIENDLY

LINE CONNECTORS, TOOLS AND REPAIR PRODUCTS



1-800-999-1051 / WWW.AIRSEPT.COM / 1-678-973-2287



MANUFACTURER OF AWARD-WINNING, OE-APPROVED, SMART SERVICE SOLUTIONS

In 1989 AirSept created the first long-lasting solution to the problem of unwanted mold and mildew odor in mobile air conditioning systems. The product became popular so quickly that by 1991, AirSept began partnering with global OEMs and suppliers to not only market our Cooling Coil Coating, but to also develop other unique new products. Since then, AirSept has developed many innovative products that help professional repair technicians solve tough problems quickly and with confidence that the repair will meet OEM standards and be durable and cost-effective.

AIRSEPT HISTORY

AIRSEPT's diverse product line has been solving real problems and saving technicians time and money in the automotive space for over 30 years. Save time, money and labor with our line of affordable, award winning products designed specifically to meet the demands of today's automotive needs.

AIRSEPT HEADQUARTERS

ATLANTA, GA




AARON BECKER

President

www.airsept.com

678-973-2287



- Has over 35 years of experience manufacturing unique, time-saving parts and tools.
- As president of AIRSEPT since 2001, he has presided over the company's growth from a small Atlanta operation to a global supplier to Original Equipment Manufacturer (OEM) and hundreds of major aftermarket manufacturers and distributors.

KEEP YOUR BAYS AND PROFITS IN OVERDRIVE!



2025 CATALOG CONTENTS

LINE CONNECTORS

SMART SPLICE™ Line Repair Made Easy	5
SMART SPLICE™ Line to Line Starter Kits	6
SMART SPLICE™ Straight, 45°, and 90° Fittings	6
SMART SPLICE™ Hose-To-Hose Connector	7
SMART SPLICE™ Line Repair Extension Kits	8
SMART SPLICE™ Line-To-Hose Connectors	9
SMART SPLICE™ Barbed Line-To-Hose Connectors	9
SMART SPLICE Line Terminator™	10
SMART SPLICE™ Line Terminator Application Kits	10
SMART SPLICE™ R134a In-Line Service Port T	11
SMART SPLICE™ Line-To-Hose Assortments	11
SMART SPLICE™ A/C Reduced Barrier Hose	11

SPECIALTY PACKS

SMART SPLICE™ Off Road Emergency Kit	12
SMART SPLICE™ Top Mover Assortment	12
SMART SPLICE™ Mobile Tech Repair Kit	13
SMART SPLICE™ Heavy Duty/Agricultural Assortment	13
SMART SPLICE™ PROSeries A/C Kit	14
SMART SPLICE™ 3-Way Line Connector	15
SMART SPLICE™ Inline Service Valve Inserts	15

TOOLS OF THE TRADE

Auto Stop Crimper	16
Deburrer	16
Tube Cutter	16
Tube Bender	16
Hose Cutter	16
SMART SPLICE™ Service Tool Tray	16

A/C SERVICE EQUIPMENT FILTRATION

Dual Recycle Guard™	18
Automatic Dual Recycle Guard™	19
Dual Recycle Guard™	19
Manual Recycle Guard™	19
Recover-Only Recycle Guard™	19
Adapter Kits, Fittings and Accessories	20

A/C FLUSH EQUIPMENT

A/C Flush Machine	21
A/C Flush Machine Accessories	22

A/C SYSTEM FILTRATION

Compressor Guard™ Plates	23
Compressor Guard™ Screens	24
High Side Inline Filter™	25
MIO High Side Filter™	25
Click Lock™	25

HVAC CABIN AIR FILTRATION

Ford E-Series Return Air Debris Shield	26
GM Retrofit Cabin Air Filter	26

A/C SERVICE TOOLS

R1234yf / R134a Small Oil / Dye injector	27
R1234yf / R134a Pro Grade Oil/Dye Injector	27
Sight Glass Diagnostic Tool™	27
R1234yf and R134a High and Low Side Slim Line Couplers	28
Service Hoses	28
R1234yf and R134a Service Couplers	28

TRANSMISSION PRODUCTS

TransGuard™ In-line Transmission Filter	29
PERMATube™	29
SMART SPLICE™ PROSeries Trans and P/S Kit	30
Barbed In-line Transmission Filter	30
Transmission Fill Adapter Tool	30

ODOR ABATEMENT

Cooling Coil Coating/OxyVap Starter Kit	31
Cooling Coil Coating™	31
Ulti-Flex Pressure Spray Tool™	31

SPRAY APPLICATORS

OXYvap™	31
MS1 Spray Tool	31



FIX A LINE LEAK IN MINUTES

SMART SPLICE™

TECHNICIAN FRIENDLY OE APPROVED LINE CONNECTORS

EFFECTIVE – TIME SAVING – DURABLE – REPEATABLE

PATENTED SEALING TECHNOLOGY

WORKS ON METAL OR RUBBER LINES

SMART SPLICE™ patented line connection products offer a quick and durable connection and repair for automotive fluid carrying lines.




SEE HOW
IT WORKS!



SMART SPLICE™

LINE REPAIR MADE EASY

EASILY CONNECT ANY LINE



10X SEALING POWER
EXPANDED SEAL SLEEVE
MORE SEALING AREA COMPENSATES
FOR OUT-OF-ROUND TUBING

ANTI VIBRATION TECHNOLOGY
ANTI-VIBRATION
TENSION RING
PREVENTS VIBRATION LEAKS

**EASY INSTALL
WITH A STANDARD
WRENCH**

**PATENTED SEALING
TECHNOLOGY**

**NO SPECIAL TOOLS
OR ADHESIVES
REQUIRED**



EFFECTIVE – TIME SAVING – DURABLE – REPEATABLE


QUICKLY REPAIR A/C, HEATER, OIL, TRANSMISSION, AND POWER STEERING LINES
OUR PROPRIETARY SEALING TECHNOLOGY ASSURES A SOLID CONNECTION AND LONG SERVICE LIFE

 **CERTIFIED LEAK-FREE**
BURST-TESTED TO 2600 PSI

1



2



3



SMART SPLICE SPLICE STRAIGHT – SAE AND METRIC / SMART SPLICE 45°, 90° / SMART SPLICE LINE TO HOSE – STRAIGHT, 45°, 90°
SMART SPLICE HOSE TO HOSE / SMART SPLICE EXTENSION KITS / SMART SPLICE BARBED LINE TO HOSE / SMART SPLICE SERVICE TEES
SMART SPLICE THREE WAY CONNECTORS / SMART SPLICE TERMINATORS – SAE AND METRIC / SMART SPLICE TERMINATOR KITS

AIRSEPT®

1-800-999-1051 / 1-678-973-2287

EFFECTIVE REPAIR WITHOUT LINE REMOVAL

SMART SPLICE™ STRAIGHT, 45°, and 90° FITTINGS



Patented

**QUICKLY BUILD OR REPAIR A/C, HEATER,
OIL, TRANSMISSION, AND
POWER STEERING LINES**

OE-APPROVED

INSTALLS WITH A STANDARD WRENCH
NO SPECIAL TOOLS, ADHESIVES OR GLUES NEEDED
BURST TESTED TO 2600 PSI

SEE HOW
IT WORKS!



LINE SPLICE KITS

SAE	STRAIGHT	5 -PACK	45°	90°	METRIC	STRAIGHT	5-PACK
1/2" OD	76001	NEW! 76017	76061	76071	8mm OD	77008	NEW! 77108
3/8" OD	76002	NEW! 76016	76062	76072	10mm OD	77010	NEW! 77110
5/16" OD	76003	NEW! 76014	76063	76073	12mm OD	77012	NEW! 77112
5/8" OD	76011	NEW! 76018	76064	76074	15mm OD	77015	NEW! 77115
3/4" OD	76012	NEW! 76019	76065	76075	16mm OD	77016	NEW! 77116
SAE 5-Pack / ONE each: 5/16", 3/8", 1/2", 5/8" & 3/4"				76050	19mm OD	77019	NEW! 77119
Metric 6-Pack/ONE each: 8mm, 10mm, 12mm, 15mm, 16mm, 19mm							NEW! 76033
Line Splice 8 pack / ONE each: 5/16", 3/8", 1/2", 5/8", 3/4", 10mm, 12mm, 16mm							NEW! 76034

REPAIR READY IN A BOX

**NEW
STARTER
KITS**



Patented

SMART SPLICE™ LINE TO LINE STARTER KITS

THESE NEW KITS ARE COMPRISED OF OUR
MOST POPULAR SIZES AT AN EXCELLENT VALUE PRICE

NEW! "TOP MOVER" ASSORTMENT

THREE each 3/8" Straight,
THREE each 5/8" Straight,

76027

NEW! LINE TO LINE STARTER KIT

TWO each 3/8" straight,
TWO each 5/8" straight,
ONE each 1/2" straight,
ONE each 5/16" straight

76066

REPAIR DAMAGED HOSES IN MINUTES

SMART SPLICE™ HOSE-TO-HOSE CONNECTOR



**WORKS WITH ALL
COOLANT AND HEATER HOSES**

**ADVANCED CRIMP
AND FRAME TECHNOLOGY**

**WORKS WITH ALL A/C
REDUCED BARRIER HOSES**



**SMART SPLICE™ HOSE-TO-HOSE CONNECTOR
QUICKLY CONNECT RUBBER HOSE ENDS**

**PRECISION-DESIGNED CRIMP SYSTEM PROVIDES
SUPERIOR LEAK-RESISTANT SEAL**

ADVANCED CRIMP TECHNOLOGY WORKS WITH HAND-HELD CRIMPER

- Meets OEM Performance and Durability Requirements
- Now Available in Handy 5 Pack Bulk Refills
- *Crimp Tool Required



HOSE-TO-HOSE STRAIGHT CONNECTORS	SINGLE	5 PACK
# 6 A/C Hose to # 6 A/C Hose	76801	NEW! 76807
# 8 A/C Hose to # 8 A/C Hose	76802	NEW! 76808
# 10 A/C Hose to # 10 A/C Hose	76803	NEW! 76809
# 12 A/C Hose to # 12 A/C Hose	76804	NEW! 76810
Hose to Hose 4 Pack (1) #6 to #6, (1) #8 to #8, (1) #10 to #10, (1) #12 to #12	76805	
NEW! Hose to Hose 6 Pack (2) #6, (2) #10, (1) #8, (1) #12	76815	



QUICKLY REPAIR LARGE SEGMENTS OF DAMAGED LINE

SMART SPLICE™ LINE REPAIR EXTENSION KITS

Patented



EFFECTIVE, DURABLE LEAK REPAIR FOR DAMAGED METAL LINE SEGMENTS UP TO 24" IN LENGTH

EASY INSTALLATION WITHOUT LINE REMOVAL

- Cut Away the Damaged Length of Metal Line, up to 24"
- 24" of Appropriate Hose Included
- Install Smart Splice Line to Hose Connectors on Either end of Remaining Line
- Measure and Cut Included Hose to Correct Length
- Insert Hose Segment and Crimp to Complete Repair
- *Crimp Tool Required

LINE REPAIR EXTENSION KITS

A/C LINES	PART NO.
1/2" Line to # 8 Hose (Includes 24" of Reduced Barrier Hose)	76731
3/8" Line to # 6 Hose (Includes 24" of Reduced Barrier Hose)	76732
5/16" Line to #6 Hose (Includes 24" of Reduced Barrier Hose)	76733
5/8" Line to # 10 Hose (Includes 24" of Reduced Barrier Hose)	76734
3/4" Line to # 12 Hose (Includes 24" of Reduced Barrier Hose)	76735
OIL/TRANS LINES	PART NO.
5/16" OD Line to 5/16" ID Hose Includes 24" of Oil/Transmission Hose	76768
3/8" OD Line to 3/8" ID Hose Includes 24" of Oil/Transmission Hose	76767
POWER STEERING RETURN LINES	PART NO.
3/8" OD Line to 3/8" ID Hose (Includes 24" of Power Steering Hose)	76772

QUICKLY CONNECT METAL LINES TO REDUCED BARRIER HOSE

SMART SPLICE™ LINE-TO-HOSE CONNECTORS



Patented

OE-APPROVED

MEETS OEM PERFORMANCE AND DURABILITY STANDARDS
SEAL TECHNOLOGY SUPERIOR TO TRADITIONAL COMPRESSION FITTINGS

- Self-adjusting, Anti-vibration Tension Ring
- Precision Designed for Leak Prevention
- Unique Crimping System
- Leak-proof Smart Splice™ Technology on the Metal Side of the Connection
- Superior Hose Crimp Technology on the Rubber Side
- Installs In Minutes
- *Crimp Tool Required



LINE-TO-HOSE CONNECTORS	STRAIGHT	45° SAE	90° SAE
1/2" (12.7mm) OD Line to #8 Hose	76701	76711	76721
3/8" (9.5mm) OD Line to #6 Hose	76702	76712	76722
5/16" (7.9mm) OD Line to #6 Hose	76703	76713	76723
5/8" (15.9mm) OD Line to #10 Hose (fits 15mm, 16mm OD Lines)	76704	76714	76724
3/4" (19mm) OD Line to #12 Hose	76705	76715	76725

FIX AUTOMOTIVE FLUID LINES WITH EASE

SMART SPLICE™ BARBED LINE-TO-HOSE CONNECTORS



Patented

LINE-TO-TUBE REPAIRS FOR

POWER STEERING RETURN LINES
TRANSMISSION LINES
TRANS OIL COOLER LINES
ENGINE OIL LINES
ENGINE OIL COOLER LINES
COOLANT LINES
HEATER LINES

QUICKLY CONNECT METAL LINE TO RUBBER HOSE

INSTALLS IN MINUTES

SUITABLE FOR MULTIPLE FLUID CARRYING SYSTEMS

- Smart Splice Barbed Connectors Allow Quick, Durable On-Vehicle Repair
- Leak-proof Line Splice Technology on the Metal Side of the Connection
- Superior Hose Crimp Technology on the Rubber Side
- *Crimp Tool Required

BARBED CONNECTORS	PART NO.
3/8" OD Line to 3/8" ID Hose	76762
5/16" OD Line to 5/16" ID Hose	76763
Barbed Connector 4 Pack (2) 3/8" OD Line to 3/8" ID Hose, (2) 5/16" OD Line to 5/16" ID Hose	76765



AIRSEPT®

1-800-999-1051 / 1-678-973-2287

QUICKLY BLOCK METAL LINES

BLOCK REAR A/C LINES

SMART SPLICE LINE TERMINATOR™



Patented

METAL LINE BLOCK-OFF KITS

QUICKLY AND EFFECTIVELY BLOCK LINES AT THE DAMAGE POINT

NO CUSTOM FIT BLOCKS NEEDED

SAVES HOURS OF LABOR TIME

NO LINE R&R REQUIRED

- Enables Operation of Front A/C Disables Rear A/C Without Accessing Rear Evaporator
- Eliminates Refrigerant and Oil Pooling in Rear A/C Lines

BLOCKOFF KITS	SAE	METRIC	
1/2" OD Line	76501	8mm	77508
3/8" OD Line	76502	10mm	77510
5/16" OD Line	76503	12mm	77512
5/8" OD Line	76504	15mm	77515
3/4" OD Line	76505	16mm	77516
		19mm	NEW! 77519
SAE 5-Pack ONE each: 5/16", 3/8", 1/2", 5/8" and 3/4" Kits		Metric 6-Pack ONE each: 8mm, 10mm, 12mm, 15mm, 16mm, 19mm	
	76526		NEW! 77535

NO NEED TO MEASURE

SMART SPLICE™

LINE TERMINATOR APPLICATION KITS

TAKE THE GUESSWORK OUT OF BLOCKING FAILED REAR A/C COMPONENTS

OUR TERMINATOR APPLICATION KITS PROVIDE EVERYTHING NEEDED TO BLOCK FAILED REAR A/C SYSTEMS, THANKS TO OUR UNIQUE YEAR/MAKE/MODEL CATALOG LOOKUP

- Kits available for 1995-2015 Chrysler, Ford and GM SUVs, Trucks and Vans
- Contains Line Terminator Block Fittings for both High and Low Side A/C Lines
- Eliminates Need for Custom Block Fittings, Access to Rear Evaporator Case - Reduces Cost and Labor Time
- Helps Maximize Front A/C System Performance
- Eliminates Refrigerant and Oil Pooling in Rear A/C Lines



Patented

LINE TERMINATOR A/C BLOCKOFF APPLICATION KITS

SMART SPLICE™ Y/M/M Application Kit (high /low sides) 1996-2015 Chevrolet, GM SUVs/Trucks/Vans	76511
SMART SPLICE™ Y/M/M Application Kit (high /low sides) 1997-2010 Chrysler, Ford models	76512
SMART SPLICE™ Y/M/M Application Kit (high /low sides) 1995-2014 Chrysler, GM Models	76513



SMART SPLICE™ LINE-TO-HOSE ASSORTMENTS OE-APPROVED

QUICKLY CONNECT METAL LINE TO RUBBER HOSE
HANDLES ANY TYPE OF LINE-TO-HOSE REPAIR

*Crimp Tool Required

LINE TO HOSE ASSORTMENT KITS - STRAIGHT

Straight Assortment – Four Pack
ONE Each: 5/16\", 3/8\", 1/2\" and 5/8\"

76706



SMART SPLICE™ R134A IN-LINE SERVICE PORT T OE-APPROVED

NO LINE R&R

REPLACE DEFECTIVE OR HARD-TO-REACH SERVICE PORTS
QUICK, DURABLE, LEAK-PROOF AND PROFITABLE PORT REPAIR
INSTALLS IN MINUTES
NO WELDING OR BRAZING REQUIRED

Incorporates the Superior Sealing
Technology of AirSept's Smart Splice™

**ADD/
REPLACE
PORTS**

			
LOW SIDE IN-LINE SERVICE PORT T™	PART NO.	HIGH SIDE IN-LINE SERVICE PORT T™	PART NO.
1/2" OD line	76201	5/16" OD line	76212
3/8" OD line	76202	3/8" OD line	76213
5/8" OD line	76204	1/2" OD line	76214
10mm OD line	77210	8mm OD line	77228
12mm OD line	77212	10mm OD line	77222
15mm OD line	77215	12mm OD line	77220
16mm OD line	77216		



SMART SPLICE™ A/C REDUCED BARRIER HOSE OEM QUALITY

BUILD YOUR OWN HOSES FOR MORE PROFIT,
FASTER REPAIR COMPLETION

FLEXIBLE HOSE OFFERS HIGHER BEND RADIUS FOR EASY ROUTING
Various Lengths Available From 15 Feet Up

SAE REDUCED BARRIER HOSE	PART NO.
#6 (5/16" ID) Per Foot, 15 ft. Minimum	76741
#8 (13/32" ID) Per Foot, 15 ft. Minimum	76742
#10 (1/2" ID) Per Foot, 15 ft. Minimum	76743
#12 (5/8" ID) Per Foot, 15 ft. Minimum	76744

**OUR
NEWEST
KITS**

SMART SPLICE™ SPECIALTY PACKS



SMART SPLICE™ TOP MOVER ASSORTMENT

A HANDY KIT OF OUR MOST POPULAR SIZES

- FAST REPAIRS FOR BROKEN LINES
- INSTALL WITH A STANDARD WRENCH



NEW! TOP MOVER ASSORTMENT	PART NO.
THREE each 3/8" Straight	76027
THREE each 5/8" Straight	

**FAST
OFF ROAD
REPAIR**

SMART SPLICE™ OFF ROAD EMERGENCY KIT



PORTABLE PROTECTION FOR DAMAGED/BROKEN LINES

- VERSATILE KIT THAT GOES WHERE YOU GO
- FAST REPAIRS FOR BROKEN LINES
- WRENCH AND SCREWDRIVER – ALL YOU NEED



NEW! OFF ROAD EMERGENCY KIT	PART NO.
ONE each Line to Line 5/16", 3/8", 1/2"	76015
ONE each Line to Line 5/8"	
ONE each Barbed Line to Hose 5/16"	
ONE each Barbed Line to Hose 3/8"	
ONE each Hose-to-Hose 5/16"	
ONE each Hose to Hose 13/32"	

**NEW
MOBILE
KIT**

SMART SPLICE™ MOBILE TECH REPAIR KIT



DESIGNED FOR ON THE ROAD SERVICE

- SMALL, LIGHTWEIGHT, QUICK TO INSTALL
- HANDLES LINE TO LINE, LINE TO HOSE, HOSE TO HOSE REPAIRS

NEW! MOBILE TECH REPAIR KIT	PART NO.
TWO each 3/8" straight	76029
TWO each 5/8" straight	
ONE each 1/2" straight	
ONE each 5/16" straight	

SMART SPLICE™ HEAVY DUTY/AGRICULTURAL ASSORTMENT



QUICK, RELIABLE FIXES IN THE FIELD

- REPAIR ON THE VEHICLE
- NO LINE REMOVAL
- INSTALLS WITH A STANDARD WRENCH
- NO SPECIAL TOOLS



NEW! HEAVY DUTY ASSORTMENT	PART NO.
ONE each Line to Line 5/16", 3/8", 1/2"	76031
ONE each Line to Line 5/8"	
ONE each Barbed Line to Hose 5/16"	
ONE each Barbed Line to Hose 3/8"	
ONE each Hose-to-Hose 5/16"	
ONE each Hose to Hose 13/32"	

AIRSEPT®

1-800-999-1051 / 1-678-973-2287

QUICK, DURABLE, ON VEHICLE LINE REPAIR KIT

AIRSEPT. PROSERIES SMART SPLICE™ PRO SERIES A/C KIT



QUICKLY AND EFFECTIVELY REPAIR OR BUILD A/C LINES

- Includes 18 Unique Line Connectors
- Superior to Traditional Compression Fittings
- Proprietary Sealing Technology that Contributes to Long Service Life
- Unique HNBR Seal Sleeve Dramatically Expands the Sealing Surface
- High-Tech Antivibration Tension Ring Ensures Repair Durability in Heavy Vibration Automotive Applications

HANDLES ANY A/C REPAIR

PROSERIES A/C KIT (18 PIECES)

PART NO.

STRAIGHT CONNECTORS
(1) 5/16", (2) 3/8", (1) 1/2", (2) 5/8", (1) 3/4"
90° CONNECTORS
(1) 5/16", (1) 3/8", (1) 1/2", (1) 5/8"
LINE TO HOSE STRAIGHT
(1) 5/16" to #6, (1) 3/8" to #6, (1) 1/2" to #8,
(1) 5/8" to #10
HOSE TO HOSE
(1) #6 to #6, (1) #8 to #8, (1) #10 to #10

78020

DURABLY CONNECT THREE METAL LINES

SMART SPLICE™ 3-WAY LINE CONNECTOR

TORSION RESISTANT FOR SUPERIOR SEALING

- Connect Lines of Same or Different Diameters
- Compact for Tight Spaces
- Ideal for Dual A/C Systems
- Popular for Heavy Duty Applications

**DUAL A/C
SYSTEM
REPAIR**




Patented

3-WAY LINE CONNECTOR	PART NO.
3/8" x 3/8" x 3/8"	76091
1/2" x 1/2" x 3/8"	76092
3/4" x 3/4" x 1/2"	76093
5/8" x 5/8" x 1/2"	76094
1/2" x 1/2" x 1/2"	76095

EASILY ADD OR REPLACE SERVICE VALVES

SMART SPLICE™ INLINE SERVICE VALVE INSERTS



Patented

**INSTALL
VALVES IN
MINUTES**



DURABLE, LEAK-PROOF INSTALLATION

- Accommodates any Switch or Relay with 3/8" - 24 Threads
- No Welding or Brazing Required

IN-LINE SERVICE VALVE INSERTS SAE

	PART NO.
5/16" x 5/16" OD line, 1/4" SAE Flare Service Valve	76251
3/8" x 3/8" OD line, 1/4" SAE Flare Service Valve	76252
1/2" x 1/2" OD line, 1/4" SAE Flare Service Valve	76253
5/8" x 5/8" OD line, 1/4" SAE Flare Service Valve	76254

IN-LINE SERVICE VALVE INSERTS METRIC

	PART NO.
8mm x 8mm OD line, 1/4" SAE Flare Service Valve	77251
10mm x 10mm OD line, 1/4" SAE Flare Service Valve	77252
12mm x 12mm OD line, 1/4" SAE Flare Service Valve	77253
15mm x 15mm OD line, 1/4" SAE Flare Service Valve	77254
16mm x 16mm OD line, 1/4" SAE Flare Service Valve	77255

AIRSEPT®

1-800-999-1051 / 1-678-973-2287

TOOLS OF THE TRADE

PROFESSIONAL GRADE TOOL ASSORTMENTS FOR HOSE REPAIR AND ASSEMBLY



AUTO STOP CRIMPER

USE TO INSTALL SMART SPLICE™ CRIMPS

DESCRIPTION	PART NO.
Pex Crimper	90045



DEBURRER

REMOVE ROUGH METAL LINE EDGES

DESCRIPTION	PART NO.
Metal Line Deburrer	90041



TUBE CUTTER

CUT LINES TO SIZE

DESCRIPTION	PART NO.
Tube Cutter	90043



TUBE BENDER

BEND TUBES TO BUILD A LINE

DESCRIPTION	PART NO.
Tube Bender (up to 3/8" OD tube)	90046



HOSE CUTTER

PRECISION CUT RUBBER HOSE

DESCRIPTION	PART NO.
Rubber Hose Cutter	90044



SMART SPLICE™ SERVICE TOOL TRAY

SIMPLIFY YOUR JOBS WITH THIS COMPLETE SET
OF SERVICE TOOLS IN ONE EASY KIT

INCLUDES EACH OF THE FOLLOWING
MUST HAVE TOOLS

- Auto Stop Crimper
- Deburrer
- Tube Cutter
- Tube Bender
- Hose Cutter

DESCRIPTION	PART NO.
SMART SPLICE™ Service Tools Kit	76080



WWW.AIRSEPT.COM / (800) 999 1051



DUAL RECYCLE GUARD™

**DON'T LET SEALANTS AND OTHER CONTAMINANTS DESTROY YOUR RRR MACHINE
MAINTAIN UPTIME, EXTEND SERVICE LIFE AND INCREASE PROFITS**

Internal RRR machine filters do not filter sealant and other contaminants.

Dual Recycle Guard removes all contaminants BEFORE they enter your machine and damages expensive components.

- 73001**
R134a Service Equipment
DUAL RECYCLE GUARD
- 73002**
R1234yf Service Equipment
DUAL RECYCLE GUARD



- 75114**
DUAL RECYCLE GUARD
Replacement Filter
- 4 Pack
Replace filters after
every 50 recoveries.
Compatible with
all refrigerants.



**SEE HOW
IT WORKS!**

A/C PRO GRADE OIL/DYE INJECTOR

TODAY'S A/C MACHINES DO NOT AUTO-INJECT OIL/DYE

Accurate oil/dye charging is vital to today's A/C system performance. Never over/under charge a system again.

Unique Sight glass body with easy-to-read measurement scale ensures accurate oil charge.

Durable, All-Steel Body.

Designed for Rough Service Environments.



- 90024**
PROFESSIONAL GRADE OIL/DYE INJECTOR
Comes with both R134a and 1234yf couplers.




A/C SIGHT GLASS DIAGNOSTIC TOOLS

**SEE WHAT'S CIRCULATING INSIDE THE A/C SYSTEM
IS IT COMPRESSOR WEAR BYPRODUCTS, BURNT OIL, REACTED SEALANT?**

Prevent expensive comebacks and enable the job to be done right the first time.

More complete diagnosis and visual evidence of additional repair operations.

- 90029**
R134A SIGHT GLASS
Diagnostic Tool
- 90034**
R1234YF SIGHT GLASS
Diagnostic Tool



A/C SLIMLINE SERVICE COUPLERS

USE AS A STANDARD COUPLER AND AS A PORT EXTENDER

Save time, increase profits. Access hard to reach service ports without component R&R.


- 90003**
R134a HIGH SIDE
SLIMLINE SERVICE
COUPLER

- 90033**
R134a LOW SIDE
SLIMLINE SERVICE
COUPLER



- 90007**
R1234yf HIGH SIDE
SLIMLINE SERVICE
COUPLER

- 90037**
R1234yf LOW SIDE
SLIMLINE SERVICE
COUPLER



COMPRESSOR GUARD SCREEN PREVENTS DEBRIS
ENTERING COMPRESSOR

COMPRESSOR GUARD FILTER PLATES

PROTECT YOUR REPLACEMENT COMPRESSOR FROM DEBRIS. STOP REPLACEMENT COMPRESSOR WARRANTY.

Installs between A/C compressor and A/C Hose on suction side of the A/C compressor.



- 91003**
Sanden TRS090 / HS110
COMPRESSOR GUARD FILTER PLATE



- 91004**
Ford Scroll
COMPRESSOR GUARD FILTER PLATE



- 91006**
Sanden SD7V16
COMPRESSOR GUARD FILTER PLATE




- 91014**
Sanden 6SBU / 7SBU / 7SEU
COMPRESSOR GUARD FILTER PLATE



- 91025**
Ford FS18 / FS20 / RS20
COMPRESSOR GUARD FILTER PLATE

FILTER OUT SEALANT AND MORE BEFORE IT REACHES YOUR MACHINE

RECYCLE GUARD™



DUAL RECYCLE GUARD™

DON'T LET SEALANTS AND OTHER CONTAMINANTS DESTROY YOUR RRR MACHINE

MAINTAIN UPTIME, EXTEND SERVICE LIFE AND INCREASE PROFITS
INTERNAL RRR MACHINE FILTERS DO NOT FILTER SEALANT AND OTHER CONTAMINANTS

- Dual Recycle Guard Removes All Contaminants **BEFORE** they enter your machine and damage expensive components.

HIGH AND LOW SIDE PROTECTION FROM DEBRIS, SEALANT, DYE, EXCESS LUBRICANT AND CONTAMINANTS, ALL IN ONE

- Compatible with all A/C Service Equipment
- Hoses, Adapters and Couplers Included
- 1 Unit Connects to Both High & Low Sides Simultaneously
- Traps All Sealants and Contaminants
- Traps Metal Shavings, Desiccant Particles and Other Harmful Debris
- Maintains Refrigerant Flow



TRAPS METAL SHAVINGS / DESSICANT PARTICLES	✓
TRAPS BOTH STOP-LEAK AND SEAL SWELLER TYPE SEALANT	✓
MAINTAINS REFRIGERANT FLOW	✓
WORKS WITH ALL A/C SERVICE EQUIPMENT	✓
CAN BYPASS FILTER WITHOUT DISCONNECTING RECYCLE GUARD	✓
EASY DRAIN AND REPLACEABLE FILTERS FOR LONG SERVICE LIFE	✓

DUAL RECYCLE GUARD	PART NO.
For R134a A/C Systems	73001
For R1234yf A/C Systems	73002
Replacement Filter 2-Pack	75112
Replacement Filter 4-Pack	75114

See page 20 for Accessory Items

SEE HOW IT WORKS!




**NOW FULLY
AUTOMATED**


AUTOMATIC DUAL RECYCLE GUARD™

DEBRIS, SEALANT AND CONTAMINANT SEPARATOR

NOW FULLY AUTOMATIC – NO TECHNICIAN INPUT REQUIRED

HIGH AND LOW SIDE PROTECTION FROM DEBRIS, SEALANT, DYE, EXCESS LUBRICANT AND CONTAMINANTS, ALL IN ONE

- Compatible with ALL A/C Service Equipment
- Hoses, Adapters and Couplers Included
- 1 Unit Connects To Both High & Low Sides Simultaneously Traps All Sealants And Contaminants
- Traps Metal Shavings, Desiccant Particles and Other Harmful Debris
- Maintains Refrigerant Flow

AUTOMATIC DUAL RECYCLE GUARD	PART NO.
For R134a A/C Systems	73011
Replacement Filter 2-Pack	75112
Replacement Filter 4-Pack	75114



DUAL RECYCLE GUARD™

DON'T LET SEALANTS AND OTHER CONTAMINANTS DESTROY YOUR RRR MACHINE

HIGH AND LOW SIDE PROTECTION FROM DEBRIS, SEALANT, DYE, EXCESS LUBRICANT AND CONTAMINANTS, ALL IN ONE

- Compatible with ALL A/C Service Equipment
- Hoses, Adapters and Couplers Included
- 1 Unit Connects To Both High & Low Sides Simultaneously Traps All Sealants And Contaminants
- Traps Metal Shavings, Desiccant Particles and Other Harmful Debris
- Maintains Refrigerant Flow



DUAL RECYCLE GUARD	PART NO.
For R134a A/C Systems	73001
For R1234yf A/C Systems	73002
Replacement Filter 2-Pack	75112
Replacement Filter 4-Pack	75114



MANUAL RECYCLE GUARD™

PROTECT YOUR RECOVERY EQUIPMENT FROM SEALANT, DEBRIS, DYE, EXCESS LUBRICANT AND OTHER CONTAMINANTS

SEALANT FROM AN A/C SYSTEM CAN BE DEADLY TO YOUR A/C SERVICE EQUIPMENT

- Stop-Leak and Seal Sweller Type Sealants Plug Tubing, Restrict Valve Movement and Alter Seal Shape and Performance
- Built-In Filters on A/C Service Equipment are Often Located Too Far Inside the Equipment to Protect Sensitive Valves, Seals and Fittings

MANUAL RECYCLE GUARD	PART NO.
1/2" ACME fittings & 36" R134a Hose	72101
1/4" Flare fittings & 36" R134a Hose	72102
Replacement Filter 2-Pack	72112
Replacement Filter 4-Pack	72114



RECOVER-ONLY RECYCLE GUARD™

PROTECT A/C SERVICE EQUIPMENT FROM CONTAMINANTS

- Trap All Sealant, Debris, Lubricant, Dye, and Other Contaminants as They Exit the Hvac System
- Works With ALL Commercial Refrigerant Types
- Available with SAE 1/4" Flare


RECOVERY ONLY RECYCLE GUARD	PART NO.
1/4" SAE fittings, w/36" Hose	72104



1-800-999-1051 / 1-678-973-2287

MAINTAIN YOUR RECYCLE GUARD™

ADAPTER KITS, FITTINGS AND ACCESSORIES




RECYCLE GUARD™ MOUNTING BRACKET

Recycle Guard™ Mounting Bracket

PART NO.

72354



RECYCLE GUARD™ ADAPTERS

PART NO.

Adapter Kit for Recycle Guard with 1/4" Flare fittings

72138

Dual Automatic Recycle Guard 1/4" Flare Adapter Kit (2 hoses and 4 fittings)

72139

Dual Automatic Recycle Guard 1/4" Flare to 1/2" ACME Adapter Kit (2 hoses and 4 fittings)

72127

RECYCLE GUARD™ FILTERS

REPLACEMENT FILTER KITS

MAINTENANCE FOR OPTIMUM YEARS OF SERVICE

- Replace filters after every 50 recoveries. Compatible with all refrigerants.

PART NO.

Two Pack

72112

Four Pack

72114

EASILY
REPLACE
FILTERS



SERVICE FITTINGS



FITTINGS - 5 PACK

PART NO.

1/8" Male NPT x 1/4" SAE Male Flare fitting

72912



1/8" Male NPT x 1/2" Male ACME Fitting

72914



1/4" SAE Flare x 1/8" NPT 45° Fitting

72911



FITTINGS - 5 PACK

PART NO.

1/2" ACME Female x 1/4" Male Flare

72913



1/4" MPT T-Handle Drain Cock

72910



1/4" Female Flare x 1/2" ACME Male

72918



FLUSH SMARTER WITH A/C FLUSH MACHINE

WITH DUAL-TANK AND SOUNDSILENCE™ TECHNOLOGY



A/C FLUSH MACHINE

**FLUSH, LUBRICATE AND REPAIR
A/C SYSTEMS WITH CONFIDENCE**

**PERFORMS 15 MINUTE FLUSH —
30 MINUTE DRYING PROCEDURE**

*Air Drying System ensures a max dry Air Purge Cycle
Helps prevent A/C repair comebacks*

**PROPRIETARY ANTI-MISTING FLUID FLOW SYSTEM
WITH CHARCOAL FILTRATION REDUCES SOLVENT FUMES**

*SoundSilence™ technology significantly reduces noise
Our air flow management system prevents flushing
unless flush/purge settings are in the correct position*

**EASY, LOW-COST MAINTENANCE
R1234YF AND R134A COMPATIBLE**

DESCRIPTION	PART NO.
A/C Flush Machine with Dual-Tank and SoundSilence™ Technology	40001

**PREVENT SERVICE EQUIPMENT DOWNTIME
KEEP YOUR FLUSH MACHINE OPERATING SMOOTHLY**

*REPLACE CHARCOAL FILTER EVERY 25 FLUSHES
REPLACE PARTICLE AND COALESCING FILTER EVERY 100 FLUSHES*

DESCRIPTION	PART NO.
100 Flush Cycle Filter Replacement Kit for A/C Flush Machine	40020





DESCRIPTION	PART NO.
Charcoal Exhaust Filter for A/C Flush Machine - Two Pack	40010
100 Flush Cycle Filter Replacement Kit for A/C Flush Machine	40020



DESCRIPTION	PART NO.
Spin-on Filter for A/C Flush Machine - Single	40011
Spin-on Filter for A/C Flush Machine - Case (12 each)	40012



DESCRIPTION	PART NO.
Air Inlet Filtration Cartridge Set for A/C Flush Machine	40018
Air Outlet Filtration Cartridge Set for A/C Flush Machine	40019



DESCRIPTION	PART NO.
AirSept A/C Flush Solvent - Quart Bottle	40015
AirSept A/C Flush Solvent - One Gallon Can	40016
AirSept A/C Flush Solvent - Case (FOUR each, One Gallon Can)	40017



DESCRIPTION	PART NO.
AirSept Flush Adapter	40029



DESCRIPTION	PART NO.
Hose Replacement Set (10 ft. Inlet/Outlet Hoses)	40030
Hose Extension Kit (10 ft. Inlet/Outlet Extensions)	40032



DESCRIPTION	PART NO.
Replacement Coupler Set	40031

PROTECT COMPRESSORS FROM DEBRIS



FORD SCROLL FILTER PLATE



TRS090 & HS110
(HONDA) FILTER PLATE




COMPRESSOR GUARD™ PLATES

FILTER PLATES AVAILABLE FOR OVER 9,000 POPULAR 1978-2016
COMPRESSOR APPLICATIONS

EASY-INSTALL SUCTION FILTER PLATES

- OE-fit to Factory Suction Line Manifold for Easy Installation
- Fits Between the Suction Hose Manifold and Compressor Suction Port
- Normal Pressure and Flow Rates Maintained
- Install Compressor Guard With Every A/C System Repair



COMPRESSOR GUARD PLATE	PART NO.
Chrysler C171 / A590	91001
Sanden TRS090 / HS110	91003
Ford Scroll	91004
Sanden SD7V16	91006
Ford FS10 / FX15	91008
GM H6 / HD6 / HT6 / V5 / V7	91009
Sanden SD7H15	91010
Denso 10S17 / 10S20 (GM Seal Washer)	91011
Denso 10S17 / 10S20 (O-ring seal)	91012
Sanden 6SBU / 7SBU / 7SEU	91014
Sanden TRS105 Saab Scroll	91015
Sanden TRSA12 GM / Saab / Isuzu Scroll	91016

COMPRESSOR GUARD PLATE	PART NO.
GM / Saturn Scroll, 3.5 Liter	91017
GM / Saturn Scroll, 2.2 Liter Small Port	91018
GM / Saturn Scroll, 2.2 Liter Large Port	91019
Mitsubishi MSC105CA	91020
Mitsubishi Scroll	91021
York Rotolock Filter Plate (HD Applications)	91022
York Tube O - 1" Filter Plate (HD Applications)	91023
VS16 Filter Plate (European Applications)	91024
Ford FS18 / FX20 / RS20	91025

FREE APPLICATION GUIDE
NOW OFFERS MORE THAN 9,000 APPLICATIONS
FOR 1978-2016 COMPRESSOR MODELS

PREVENT COMPRESSOR DAMAGE

COMPRESSOR GUARD™ SCREENS

OE-APPROVED SUCTION SCREENS PROTECT YOUR COMPRESSOR REPAIRS

COMPRESSOR GUARD SUCTION SCREEN OE-FIT SIZES MATCH ANY OE SUCTION BLOCK / MANIFOLD


INSTALL WITHOUT CUTTING LINES

MULTI-SIZE SCREEN KITS COVER OVER 95% OF ALL SUCTION PORT IDS

- Maintains Normal Pressure and Flow
- No Additional Fittings Required
- Creates No Additional Leak Points
- Sizes for any OE Suction Block / Manifold



CLEAN REFRIGERANT
ENTERS COMPRESSOR



COMPRESSOR GUARD SCREEN
PREVENTS DEBRIS ENTERING COMPRESSOR



COMPRESSOR GUARD™ KITS

PART NO.

24 Suction Screen Kit - contains 3 each of our 8 most popular sizes

67675

60 Suction Screen Kit - contains 3 each of 20 sizes

67677

72 Ultimate Suction Screen Kit - contains 3 each of 24 sizes

67679

5 PACK REPLACEMENT SCREENS PART NO. FITS ID RANGE

0.395" (10.03 mm)	67518	.384" to .392"
0.404" (10.26 mm)	67520	.393" to .401"
0.436" (11.07 mm)	67522	.425" to .433"
0.463" (11.76 mm)	67524	.452" to .460"
0.471" (11.96 mm)	67502*	.460" to .468"
0.492" (12.50 mm)	67526	.481" to .489"
0.500" (12.70 mm)	67528	.489" to .497"
0.510" (12.95 mm)	67504*	.499" to .507"
0.521" (13.23 mm)	67506*	.510" to .518"
0.531" (13.49 mm)	67508*	.520" to .528"
0.538" (13.67 mm)	67510*	.527" to .538"
0.552" (14.02 mm)	67512*	.541" to .549"

5 PACK REPLACEMENT SCREENS PART NO. FITS ID RANGE

0.561" (14.25 mm)	67536	.550" to .558"
0.579" (14.70 mm)	67538	.568" to .576"
0.588" (14.93 mm)	67530	.577" to .585"
0.595" (15.11 mm)	67514*	.584" to .592"
0.600" (15.24 mm)	67532	.589" to .597"
0.618" (15.70 mm)	67516*	.607" to .615"
0.649" (16.48 mm)	67540	.638" to .646"
0.821" (20.85 mm)	67534	.811" to .819"
0.866" (22.00 mm)	67541	.856" to .864"
0.872" (22.15 mm)	67542	.862" to .870"
0.878" (23.00 mm)	67543	.868" to .876"
10PA17	67544	Denso 10PA17


* = Screen Included in Compressor Guard 24 Screen Kit # 67675

HIGH SIDE INLINE FILTER™**OE-APPROVED**

PROTECT THE CONDENSER, OTHER
NEW A/C COMPONENTS

- Traps Metal Shavings and Non-Metallic Debris
- Tapered Design Forces Debris to the Side
- Allows Continual Refrigerant Flow, Even After Catching Debris
- Works with TXV or CCOT Systems

**KEEP
DEBRIS
OUT**

**HIGH SIDE IN-LINE FILTER****PART NO.**

In-line SAE High Side Filter for 5/16", 3/8" or 1/2" Line	76100
In-line Metric High Side Filter for 10mm or 12mm Line	77100


Patented

MIO HIGH SIDE FILTER™**A/C HIGH SIDE DEBRIS PROTECTION**

WITH MALE INSERT O-RING FITTINGS
FITS BETWEEN COMPRESSOR AND CONDENSER

- Traps Harmful Metal And Non-Metallic Debris
- Tapered Screen Forces Debris to Side - Maximizes Flow
- Works with TXV or CCOT Systems

**IDEAL
FOR HD
SYSTEMS**

**MIO HIGH SIDE FILTER****PART NO.**

MIO High Side Filter (#8 Fitting)	76107
Service Kit (contains new screen, 2 O-rings)	76108

Patented

CLICK LOCK™**A/C SECURITY SYSTEM**

PATENTED CAP SHOWS IF A/C SYSTEM HAS BEEN OPENED
KNOW IF SOMEONE ACCESSED THE SYSTEM
ALERTS YOU TO CHECK FOR REFRIGERANT
CROSS-CONTAMINATION

- Proof That System has Been Opened Allows Easier Customer Communication
- Easy Repair Order Tracking - with Unique Serial Numbers
- Helps Prevent Unwittingly Causing System Problems

**VISUAL
TAMPER
ALERT**

SEE HOW
IT WORKS!

**AVAILABLE FOR R134a OR R1234yf**

CLICK LOCK™	PART NO.
10 Pack for R134a A/C Systems	72921
50 pack for R134a A/C Systems	72925
10 Pack for R1234yf A/C Systems	72931
50 pack for R1234yf A/C Systems	72935



Patented

AIRSEPT®

1-800-999-1051 / 1-678-973-2287

FORD E-SERIES RETURN AIR DEBRIS SHIELD

OPTIMIZES A/C SYSTEM PERFORMANCE

- Stop A/C Cooling Problems due to Debris Blocking Air Flow Over the Evaporator on 2002 - 2015 Ford E-Series Vans
- Return Air Debris Shield (Rads) Intercepts Debris Before it can Reach the Evaporator and Optimizes A/C System Performance
- Installs in the Passenger Cabin
- NO Component Removal
- Four Easy Steps, Under Five Minutes
- NO Special Tools Required
- Cars Rated Filter Media

**MAINTAIN
A/C AIR
FLOW**



DESCRIPTION

PART NO.

Ford E Series (2002 - 2015) Return Air Debris Shield (RADS)

90025

GM RETROFIT CABIN AIR FILTER


FOR 2007-2014 GM PICKUPS AND SUVS NOT FACTORY
EQUIPPED WITH A CAF

INSTALLS WITHIN VEHICLE HVAC SYSTEM

OE-FIT

- Over 5 Million 2007-2014 GM Pickups and SUVs are Not Factory Equipped with a Cabin Air Filter
- Install a Cabin Air Filter in Minutes Without Special Tools or Equipment
- Easy Installation
 - 1) Remove Cover From The GM CAF Cavity
 - 2) Insert AirSept's GM Truck Cabin Air Filter
 - 3) Screw on AirSept's GM Truck Cabin Air Filter Cover Plate

**ADD AIR
FILTER IN
MINUTES**



DESCRIPTION

PART NO.

GM Truck Segmented Cabin Air Filter – Standard	90015
GM Truck Segmented Cabin Air Filter– Carbon	90016
GM Truck Cabin Air Filter Cover Plate	90017
GM Cabin Air Filter Retrofit Kit - Standard Includes Cabin Air Filter, Cover Plate, Mounting Screw	90018
GM Cabin Air Filter Retrofit Kit - Carbon Includes Cabin Air Filter, Cover Plate, Mounting Screw	90019



**INJECT
WITH
ACCURACY**

R1234yf / R134a PRO GRADE OIL/DYE INJECTOR

WITH UNIQUE SIGHT GLASS BODY

- Easy to Read Measuring Scale
- Durable, All-Steel Body
- Up to 230 Psi Injecting Pressure



SEE HOW
IT WORKS!



DESCRIPTION	PART NO.
R134a A/C Oil Injector w/Sight Glass Body	90021
R1234yf A/C Oil Injector w/Sight Glass Body	90023
R134a/R1234yf A/C Oil Injector w/Sight Glass Body	90024

R1234yf / R134a SMALL OIL / DYE INJECTOR

- Light yet Durable
- Manual Shut Off, Sight Glass
- 1/2" ACME, F x M

DESCRIPTION	PART NO.
R134a/R1234yf Small Oil/Dye Injector	90020



R1234yf / R134a SIGHT GLASS DIAGNOSTIC TOOL


A DIRECT LOOK INTO THE SYSTEM

- Monitor System Flushing
- Check Charging Level
- View Oil Charging
- Detect Contaminants

**SEE THE
UNSEEN**



DESCRIPTION	PART NO.
R1234yf Sight Glass Diagnostic Tool	90034
R134 Sight Glass Diagnostic Tool	90029



**REACH
THE HARD
TO REACH**

R1234yf and R134a HIGH AND LOW SIDE SLIM LINE COUPLERS

- Fits Deep-Seated or Standard Ports
- Eliminates Radiator Support R&R
- Quick Connect, Fits in Tight Spaces

DESCRIPTION

PART NO.

R1234yf High Side Slim Line Couplers	90007
R1234yf Low Side Slim Line Couplers	90037
R134a High Side Slim Line Couplers	90003
R134a Low Side Slim Line Couplers	90033



R1234yf and R134a SERVICE COUPLERS

**TOUGH, DURABLE QUICK CONNECT
DESIGN FOR YEARS OF SERVICE**

**LONG
SERVICE
LIFE**

DESCRIPTION

PART NO.

R1234yf High Side Coupler	72144
R1234yf Low Side Coupler	72145
R1234yf Coupler Kit (1 High Side, 1 Low side)	72146
R1234yf Coupler to 1/4" Flare Hose Adaptor 12.5mm-1.5mm Male x 1/4" SAE Flare Male	72151
R1234yf Coupler to R134a Hose Adapter Fitting	72152
R134a High Side Coupler	72130
R134a Low Side Coupler	72131
R134a Coupler Kit (1 High Side, 1 Low side)	72132
R134a Coupler to 1/4" Flare Hose Adaptor 14mm-1.5mm Male x 1/4" SAE Flare Male	72919

SERVICE HOSES

- High Quality, OEM Grade Hose
- Designed for Rough Service

UNIVERSAL 48" SERVICE HOSES

PART NO.

48" Blue A/C Service Hose 1/4" Female Flare Fittings on Both Ends	72156
48" Red A/C Service Hose 1/4" Female Flare Fittings on Both Ends	72157
48" Yellow A/C Service Hose 1/4" Female Flare Fittings on Both Ends	72158

R1234YF AND R134A SERVICE HOSES

PART NO.

R1234yf 72" Red High Side Hose, 12mm-M x 12mm-M	72150
R1234yf 36" Yellow Jumper Hose, 12mm fitting x 1/2 x 16 ACME LH	72147
R1234yf 72" High/Low (Red/Blue) Hose Set, 12mm-M x 12mm-M	72148
R1234yf 72" Blue Low Side Hose, 12mm-M x 12mm-M	72149



DESCRIPTION

PART NO.

R134a 36" Yellow Jumper Hose, 1/2" ACME x 1/2" ACME	72136
R134a 36" Blue Low Side Hose, 1/2" ACME x 14mm	72137
R134a 72" Red High Side Hose, 1/2" ACME x 14mm	72134
R134a 72" Blue High Side Hose, 1/2" ACME x 14mm	72133
R134a 72" High/Low Side Hose Set, 1/2" ACME x 14mm	72125

REPAIR BROKEN RADIATOR TUBES IN LESS THAN 5 MINUTES



REPLACEMENT KIT



RELOCATION KIT

ELIMINATE RADIATOR R&R


PERMATUBE™

RADIATOR OVERFLOW TUBE REPLACEMENT KITS
ALLOWS REPLACEMENT ON THE VEHICLE,
ELIMINATING RADIATOR REPLACEMENT
OR REPAIR

- OEM-Approved
- Costs Far Less Than Radiator R&R
- Factory Appearance and Performance
- No Radiator or Coolant Removal

PERMATUBE	PART NO.
PermaTube Replacement Kit	65605
PermaTube Relocation Tools	65607
PermaTube 2 Pack Refills	65602
PermaTube 5 Pack Refills	65608

TRAP METAL & DEBRIS



PROTECT TRANSMISSIONS FROM OIL COOLER DEBRIS

TRANSGUARD™ IN-LINE TRANSMISSION FILTER

- Installs at the Oil Cooler Outlet to Trap Leftover System Metal and Debris Before it Enters the Transmission Inlet
- Installation Complete in Under Five Minutes
- Fits Most Applications Without Altering Factory Configurations
- Unique Bypass System - No Matter How Much Trash the Filter Catches, Fluid Flow is Constant
- Provides a Great Opportunity to Boost Your Profits and Increase Customer Satisfaction

TRANSGUARD CHRYSLER FILTER	PART NO.	TRANSGUARD FORD FILTER	PART NO.
3/8" Male Inverted Flare x 3/8" Female Inverted Flare	71006	5/16" Long Flare	71032
3/8" Male Flare x 3/8" Female Flare	71012	3/8" Long Flare	71034
TRANSGUARD GM FILTER	PART NO.	TRANSGUARD IN LINE FILTER	PART NO.
All Models with Quick Connect Fittings	71002	3/8" Double Barb	71001
5/16" Male Inverted Flare x 5/16" Female Inverted Flare	71004	5/16" Double Barb	71008
3/8" Male Inverted Flare x 3/8" Female Inverted Flare	71006	3/8" Snap Connect	71022

AIRSEPT®

1-800-999-1051 / 1-678-973-2287

AIRSEPT PROSERIES

FOR LINE
REPAIR
PROS

SMART SPLICE™ PROSERIES TRANS AND P/S KIT TRANSMISSION AND POWER STEERING LINE REPAIR EVERYTHING YOU NEED IN ONE CONVENIENT KIT

- 16 Unique Line Connectors
- Straight, 45° and 90° Fittings Included
- Perfect for Repairs in Tight Spaces
- Durable in Heavy Vibration Applications
- Superior Sealing = Long Service Life



PROSERIES TRANS AND P/S KIT (16 PIECES)	PART NO.
--	----------

SMART SPLICE™ Straight Connectors (2) 5/16" (7.9mm), (2) 3/8" (9.5mm)	78019
SMART SPLICE™ 45° Connectors (2) 5/16" (7.9mm), (2) 3/8" (9.5mm)	
SMART SPLICE™ 90° Connectors (2) 5/16" (7.9mm), (2) 3/8" (9.5mm)	
SMART SPLICE™ Line to Hose Straight (2) 5/16" (7.9mm) to #6, (2) 3/8" (9.5mm) to #6	

BARBED IN-LINE TRANSMISSION FILTER FLUSHING DOES NOT CATCH 100% OF HARMFUL DEBRIS EXTEND THE LIFE OF YOUR TRANSMISSION REPAIRS

- Traps Metal Shavings and Non-Metallic Debris
- Pressure Tested to 750 PSI
 - Built-In Bypass for Constant Fluid Flow Even After Filter is Full
 - 60% Smaller Than Traditional Transmission Filters



TRANSGUARD	PART NO.
3/8" Barbed In Line Filter - Metal	71015
1/2" Barbed In Line Filter - Metal	71016
5/8" Barbed In Line Filter - Metal	71017
3/8" Barbed In Line Filter - Plastic	71115
1/2" Barbed In Line Filter - Plastic	71116

FILL
AROUND
OBTACLES



TRANSMISSION FILL ADAPTER TOOL ALLOWS FLUID INSTALLATION ON TRANSMISSIONS WITHOUT DIPSTICKS

- Standard Quick-Connect Fitting
- Slim Design Fits in Tight Spaces
- 23.5" Flexible Tube Reaches Around Obstacles



DESCRIPTION	PART NO.
Transmission Fill Adapter Tool	62640

COOLING COIL COATING™

OEM-APPROVED

ELIMINATE A/C ODOR FOR UP TO THREE YEARS

- Effectively Reduces Odor for The Long Term
- Sheds Moisture and Extends Service Life of Evaporator
- No Cover-Up Fragrances



**LONG TERM
ODOR
REMOVER**

COOLING COIL COATING™

PART NO.

4-oz. Non-Aerosol Bottle 60602

Cooling Coil Coating/OxyVap Starter Kit 60628

COOLING COIL COATING/OXYVAP STARTER KIT

THREE YEARS OF A/C ODOR ABATEMENT - FOR TWO VEHICLES

(2) Cooling Coil Coating™ 4 oz. bottles
(2) OxyVap™ 4 oz. bottles 60628
(1) Ulti-Flex Pressure Spray Tool

**TREAT HARD-TO-REACH UNDER HOOD AREAS
USING THE ULTI-FLEX PRESSURE SPRAY TOOL
WORKS WITH ALL AUTOMOTIVE FLUIDS**



**ELIMINATE
ODOR
AT SOURCE**

OXYVAP™


AUTOMOTIVE EVAPORATOR CLEANER

- Eliminates Odor Right From the Source
- Removes Dirt and Contaminants
- Leaves No Residue
- Safe for Use on Metals

OXYVAP™

PART NO.

OxyVap™ Evaporator Cleaner 4oz 60646



SPRAY APPLICATORS

ULTI-FLEX PRESSURE SPRAY TOOL™

OEM-APPROVED

PRECISION ATOMIZING TIP ASSURES OPTIMAL PRODUCT DIFFUSION

**THE BEST WAY TO APPLY COOLING COIL COATING,
A/C ODOR SHIELD, OXYVAP OR ANY AUTOMOTIVE FLUID**

- Bend to fit any Underhood or Undercar Configuration
- Use with Shop Air for Fast Application and Powerful Cleaning Action
- Durable Metal Construction, Protective Sheathing

**PROPRIETARY
ANTI-SIPHON DESIGN**

**PATENTED
ATOMIZING TIP**

**INFINITELY FLEXIBLE
APPLICATOR**

**FLEXIBLE
SPRAY
APPLICATOR**



MS1 SPRAY TOOL

EFFECTIVE, PENETRATING SPRAY APPLICATOR

- Patented Precision Atomizing Tip Provides Optimum Liquid Diffusion
- Creates Uniform Spray Coverage
- Shop Air Maximizes Penetration, Cleaning Power

DESCRIPTION

PART NO.

Ulti-Flex Pressure Spray Tool 62644

DESCRIPTION

PART NO.

MS1 Spray Tool 62602

PROTECT, INJECT AND CONNECT WITH CONFIDENCE

AWARD WINNING, TECHNICIAN FRIENDLY
AUTOMOTIVE SERVICE SOLUTIONS

2025 AUTOMOTIVE CATALOG



STOP SEALANT DAMAGE **DUAL RECYCLE GUARD™**

Protect your RRR equipment



R134a Dual Recycle Guard	73001
R1234yf Dual Recycle Guard	73002
Mounting Bracket	72354
Replacement Filter Pack	72114



ACCURATELY INJECT **HEAVY DUTY OIL DYE INJECTOR**

High Capacity/230 PSI Injection Force



R134a Oil Injector	90021
1234yf Oil Injector	90023
R134a /1234yf Oil Injector	90024



CONNECT & REPAIR LINES **SMART SPLICE™ LINE CONNECTOR**

Installs in Minutes, OE Approved



Line Splice 1/2in OD	76001
Line Splice 3/8in OD	76002
Line Splice 5/16in OD	76003
Line Splice 5/8in OD	76011
Line Splice 3/4in OD	76012



1-800-999-1051 / WWW.AIRSEPT.COM / 1-678-973-2287